

MATERIAL SAFETY DATA SHEET

Lloyds Laboratories Inc.

AD OFF (Liquid) Part # 77401, 77404, 77420

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: AD OFF **PRODUCT USE:** Vinyl Adhesive Remover
MANUFACTURER: Lloyds Laboratories Inc. **SUPPLIER:** Lloyds Laboratories Inc.

ADDRESS: 613 Neal Drive, Peterborough, Ontario, K9J 6X7 **ADDRESS:** 613 Neal Drive, Peterborough, Ontario, K9J 6X7

EMERGENCY #: 1 800 361-6766 **EMERGENCY #:** 1 800 361-6766

SECTION II: INFORMATION ON INGREDIENTS

Ingredients	CAS#	Wt%	OSHA-TWA	ACGIH-TWA	LD ₅₀
d-Limonene	94266-47-4	50-70	Not Established	8h twa=30 ppm AIHA Standard	>5,000 mg/kg (Oral/Rat)
Dipropylene Glycol Methyl Ether	34590-94-8	45 -60	Not established	Not established	>2,000 mg/kg (Oral/Rat)

SECTION III: HAZARDOUS IDENTIFICATION

Route of Entry: Eye, skin contact, ingestion.

Potential Health Effects:

Eye Contact: May cause irritation to eyes. Symptoms including stinging, tearing and redness.

Skin Contact: May cause irritation upon repeated/prolonged contact. May dry the skin causing redness, burning and drying. Possible skin permeator.

Inhalation: May cause slight nose, throat and respiratory tract irritation. Breathing small amounts of the product is not likely to cause harmful effects below TWA limit. Breathing large amounts, i.e. over the TWA may cause harmful effects.

Ingestion: May cause irritation to mouth, esophagus and stomach. May cause gastric tract upset and/or damage.

Chronic Effects:

Carcinogenicity: No ingredients listed IARC or NTP or ACGIC. Non hazardous by WHMIS/OSHA criteria.

Teratogenicity, Mutagenicity, Reproductive Effects: The ingredients in this product were found not to be mutagenic when tested by the Ames Assay, (OECD Guidelines for chemical testing, sec.471).

Skin: Repeated or prolonged exposures to dilutions can cause drying, defatting and dermatitis.

MATERIAL SAFETY DATA SHEET

Lloyds Laboratories Inc.

AD OFF (Liquid) Part # 77401, 77404, 77420

SECTION IV: FIRST AID MEASURES

Eye Contact:	Immediately flush with water for 15 minutes. Holding eyelids open during flushing. If irritation persists, repeat flushing and obtain medical attention immediately.
Skin Contact:	Flush with water. Remove contaminated clothing and launder before reuse.
Inhalation:	Move victim to fresh air. If conscious, have victim take deep, slow breaths. Seek medical attention if symptoms persist.
Ingestion:	DO NOT INDUCE VOMITING. Rinse mouth with water, and then drink one glass of water. Seek medical attention immediately.

SECTION V: FIRE FIGHTING MEASURES

Flammability:	Combustible
Flash Point deg (C,TCC):	50° C (TCC).
Means of Extinction:	Use water spray to keep fire exposed containers cool. Dry chemicals, carbon dioxide. Fight fire from protected location or maximum possible distance.
Special Fire Hazards:	Fire fighters should wear self contained breathing apparatus as for surrounding fire.
Autoignition temperature:	Not applicable.
Flame propagation or burning rate of solid:	Not applicable.
Sensitivity to static discharge:	Not applicable.
Unusual Fire and Explosion Hazards:	None expected. As per surrounding fire.
Hazardous decomposition products:	Oxides of carbon, oxides of nitrogen.

SECTION VI: ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures:	Before attempting clean up, refer to the hazard data provided above. Small spills may be absorbed with non reactive absorbent and placed in suitable, covered, labeled container. For large quantities, dispose of in accordance with local, provincial/ state or federal regulations. For large spills prevent from entering sewers and waterways. For large spills provide diking to prevent spreading.
-----------------------------------	--

SECTION VII: HANDLING AND STORAGE

Storage Requirements:	KEEP OUT OF REACH OF CHILDREN. Store in a closed container away from incompatible materials which include alkalis, oxidizing materials, reducing sugars and Ammonia Salts. Storage temperature C Ambient to 35 C (must be stored above 4 C at all times). Transport temperature C Ambient to 35 C (must be stored above 4 C at all times).
------------------------------	---

MATERIAL SAFETY DATA SHEET

Lloyds Laboratories Inc.

AD OFF (Liquid) Part # 77401, 77404, 77420

Keep container closed. Handle and open container with care. Store in a well ventilated place away from incompatible materials. Do not store near open flame. Do not reuse empty containers.

SECTION VIII: EXPOSURE CONTROL/PERSONAL PROTECTION

Gloves: Use Viton or Nitrile gloves to avoid prolonged or skin contact repeated.
Eye Protection: If eye contact is possible chemical splash goggles are recommended.
Respiratory Protection: Not normally required if good ventilation is maintained to maintain below TWA.
Other Protective Equipment: As required by employer code. Eye bath, safety shower, protective clothing.
Engineering Controls: General ventilation normally required.

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid	Odour and Appearance: Solvent, clear in colour , citrus fragrance		Odour Threshold	Not available
Vapour Pressure (mm Hg):	Not available	Vapour Density (Air=1)	Not available	Boiling Point (°C)	132 F
% Volatile (Wt %):	Not available	Solubility in water(20°C)	Slight	Freezing Point (°C)	Not available
pH	Not available	Specific Gravity	0.81	Evaporation Rate (nBuAc=1)	>1
Coeff. Water/Oil Dist.	Not available				

SECTION X: STABILITY AND REACTIVITY

Conditions for Chemical Instability: Stable under normal conditions. Excessive heat or contamination could cause decomposition.
Incompatible Materials: Reducing agents, strong acids, strong caustics, iron and other metals.
Hazardous Decomposition Products: Oxides of carbon, Oxides of Nitrogen when heated.

SECTION XI: TOXICOLOGICAL INFORMATION

LD 50 values for individual components see section II.
Skin Sensitization (OECD Sec. 406) Non sensitizing.

SECTION XII: ECOLOGICAL INFORMATION

No data available on the adverse effects of this product on the environment.

SECTION XIII: DISPOSAL CONSIDERATIONS

MATERIAL SAFETY DATA SHEET

Lloyds Laboratories Inc.

AD OFF (Liquid) Part # 77401, 77404, 77420

Dispose of in accordance to all local, provincial/state and federal regulations.

SECTION XIV: TRANSPORTATION

T.D.G. Classification: Not regulated.
D.O.T. Classification: Not regulated.

SECTION XV: REGULATORY INFORMATION

Occupational Health and Safety

Regulations:

WHMIS Class:

D1A Toxic material, B3 combustible.

OSHA & WHMIS:

MSDS prepared pursuant to the Hazard Communication Standard (CFR29.1920.1200) and Canadian WHMIS regulations.

Toxic Substances Control Act (TSCA):

All ingredients are registered on the Chemical Substances Inventory.

Canadian Domestic Substance List (DSL):

All ingredients are registered on the DSL.

SECTION XVI: OTHER INFORMATION

Date: April 15, 2016	Prepared By: Technical Services Group	Telephone: 1 800 361-6766
-----------------------------	--	----------------------------------

Disclaimer:

Information for this material safety data sheet was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond the control of supplier, it is assumed that users of this material; have been fully trained according to the mandatory requirements of WHMIS. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries for consequential damages, which may result from the use or reliance on any information contained in this form. If user requires independent information on ingredients in this or other material, we recommend contact with the Canadian Centre for Occupational Health and Safety (CCOHS) in Hamilton, Ontario (905-572-4400) or CSST in Montreal, Quebec (514-873-3990).