# MATERIAL SAFETY DATA SHEET Lloyds Laboratories Inc.

# **ISOCARE M.R.S. – Part # 82520**

#### SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Isocare M.R.S. **PRODUCT USE:** Surface treatment.

MANUFACTURER: Lloyds Laboratories Inc SUPPLIER: Lloyds Laboratories Inc.

ADDRESS: 613 Neal Drive, ADDRESS: 613 Neal Drive,

Peterborough, Ontario, Peterborough, Ontario,

K9J 6X7

**EMERGENCY #:** 1 800 361-6766 **EMERGENCY #:** 1 800 361-6766

# **SECTION II: INFORMATION ON INGREDIENTS**

Ingredients	CAS#	Wt%	ACGIH-TLV	LD <sub>50</sub>	LC <sub>50</sub>
Methyl Alcohol	67-56-1	10-30	200 ppm (skin)	5600 MG/KG	81,000
				Rat oral	MG/M3/14H
					Rabbit inhalation

# SECTION III: HAZARDOUS IDENTIFICATION

Route of Entry: Eye contact, skin absorption, inhalation and ingestion.

Eye Contact: May cause irritation.

Skin Contact: Irritant. May cause drying, defatting.

Skin Absorption: No adverse effects are expected with normal use. May be absorbed through the

skin.

Inhalation: Irritant. Intoxication. May cause drowsiness. May cause anaesthesia effects.

Headaches, dizziness.

Ingestion: May cause dizziness. May case headache and drowsiness. May cause signs of

intoxication. May cause anaesthesia effects.

Chronic Effects: May cause liver damage. May cause blindness. Prolonged or repeated

overexposure may cause drying and cracking of the skin (dermatitis).

Carcinogenicity: Not listed as a carcinogen.

Long term exposure to methanol has been associated with dermatitis, erythema, headaches, giddiness, conjunctivitis,insomnia and impaired vision. May cause heart, kidney, lung, central nervous system, liver, spleen, brain, and eye damage. Long term repeated oral exposure to Methanol may result in the development of progressive liver injury with fibrosis. May damage other organs (see acute

effects).

# **SECTION IV: FIRST AID MEASURES**

Eye Contact: Flush eyes with clear, running water for 15 minutes while holding eyelids open. If irritation

persists, consult a physician.

Skin Contact: Remove contaminated clothing. Wash with mild soap and water. Consult a physician if

irritation persists.

# MATERIAL SAFETY DATA SHEET Lloyds Laboratories Inc.

# **ISOCARE M.R.S. – Part # 82520**

Remove victim to fresh air. If not breathing, qualified personnel should administer artificial Inhalation:

respiration. Get medical attention.

Ingestion: Obtain immediate medical attention. Give large quantities of water to drink. Do not

induce vomiting, keep person warm, quiet. Guard against aspiration of liquids into lungs.

If vomiting occurs, keep head below hips. Never give anything by mouth to an

unconscious person.

NOTES TO PHYSICIAN: This product contains up to 30 % v/v of methanol, a toxic substance having produced blindness and other serious effects on vision, as well as

# **SECTION V: FIRE FIGHTING MEASURES**

Flammability: Flammable.

Conditions of Flammability: Heat, sparks, and opens flames.

Flash Point (°C), method): (Minimum). 12°C. Water, chemical powder. Means of Extinction:

Special Fire Fighting Procedures: Firefighters should wear adequate protective gear. Self

contained breathing apparatus required. This product floats

on water which creates a fire hazard.

Auto Ignition Temperature: (Minimum). 385°C.

Flame Propagation or Burning Rate of Solid:

Sensitivity to Static Discharge: Not sensitive. Unusual Fire and Explosion Hazards: Not available.

Hazardous Composition Products: Carbon monoxide (CO), Smoke, Nitrogen oxides (NOx).

#### SECTION VI: ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures:

Eliminate all sources of ignition. Dike area to prevent spreading. Ventilate area. Wear appropriate protective equipment. Ground handling equipment. Use non-sparking tools. Explosion proof motors are recommended. Soak up with inert absorbent. Pump to containers or soak up on inert absorbent. Place in a closed container for disposal.

# **SECTION VII: HANDLING AND STORAGE**

Storage Requirements: Keep away from heat, sparks, and open flame. Avoid breathing vapours/mists. Use adequate ventilation. Wear personal protective equipment appropriate to task. Use proper grounding procedures. Avoid contact with skin, eyes and clothing. Do not cut, grind, weld or drill on or near containers. Launder contaminated clothing prior to reuse. Store away from all sources of ignition. Store away from incompatible materials. Store

in a cool, dry and well ventilated area.

Incompatible substances: Oxidizing agents, acids, bases, reducing agents, acid chlorides, acid anhydrides, alkyl aluminum solutions, acetyl bromide, acetyl chloride, ammonia, silver oxide, interhalogens, halogens, chlorine trioxide, chromic anhydride, chromyl chloride, peroxides, iodine, mercuric oxide, perchlorates, perchloric acid, permanganates, potassium t-butoxide, silver, sodium hydrazide, acetaldehyde, ethylene oxide, hexamethylene diisocyanate, hypochlorous acid, isocyanates, phosphorus trioxide, hydrides, carbon tetrachloride, chloroform, dichloromethane,

diethylzinc, metals (potassium,

magnesium, etc...), acetic anhydride, tetrachlorosilane, 2-propanol, hypochlorites,

cyanuric acid.

# MATERIAL SAFETY DATA SHEET Lloyds Laboratories Inc.

# **ISOCARE M.R.S. – Part # 82520**

# SECTION VIII: EXPOSURE CONTROL / PERSONAL PROTECTION

Skin Protection: Rubber gloves. Eye Protection: Safety glasses.

Respiratory Protection: None required under normal use. If TLV is exceeded NIOSH approved

organic vapours.

Clothing/Type: Long sleeve shirt, long trousers. Apron.

Footwear/Type: Rubber boots.

Other Protective Equipment: Eye wash facility should be in close proximity. Emergency shower should be

in close proximity.

Engineering Controls: As needed to stay below TLV.

# SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point (deg C):	74 - 79	Specific Gravity @ 20°C:	(density) 0.791 (20/20°C)	Evaporation Rate (butyl acetate = 1):	Not available	
% Volatile (Wt%):	Not available	Solubility in water:	Complete	pH (as supplied):	Not available	
Physical State:	Liquid	VOC	Not available	Freezing point (°C):	-114ºC	
Coefficient of water/oil dist.:	Not availal	ole				
Vapour pressure (mmHg):	@ 20°C (68°F). 12 kPa		Vapour density: (air=1) 1.4			
Appearance / Odour:	Clear. Transparent. Alcoholic odour.		Odour Threshold: 5-10 ppm (ppm)			

# **SECTION X: STABILITY AND REACTIVITY**

Stability: Stable under normal conditions.

Conditions to Avoid. None known. Incompatible Materials: Combustibles.

Hazardous Decomposition Products: See hazardous combustion products.

Hazardous Polymerization: Will not occur.

# SECTION XI: TOXICOLOGICAL INFORMATION

METHANOL:

ORAL (LD50): Acute: 7300 mg/kg (Mouse). 14200 mg/kg (Rabbit).

DERMAL (LD50): Acute: 15800 mg/kg (Rabbit). VAPOR (LC50): Acute: 64000 ppm (Rat) (4 hour(s)).

# **SECTION XII: ECOLOGICAL INFORMATION**

Biodegradability: Readily biodegradable.

# **SECTION XIII: DISPOSAL CONSIDERATIONS**

Dispose of in accordance to all local, provincial/state and federal regulations.

# MATERIAL SAFETY DATA SHEET Lloyds Laboratories Inc.

# **ISOCARE M.R.S. – Part # 82520**

**SECTION: XIV: TRANSPORTATION** 

T.D.G. Classification: Alcohols, Flammable, Toxic, N.O.S.

(methanol). UN 1986. Class 3(6.1). PG II.

# **SECTION XV: REGULATORY INFORMATION**

Occupational Health and Safety Regulations:

WHMIS Classification: B2, D1B, D2A.

Environmental Regulatory Lists:

The substance(s) listed in section 2 appear on the

DSL status: Domestic Substances List.

# **SECTION XVI: OTHER INFORMATION**

Date:	May 1, 2016	Prepared By:	Technical Services	Telephone:	1 800 361-6766
			Group		

#### Disclaimer:

Information for this material safety data sheet was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond the control of supplier, it is assumed that users of this material have been fully trained according to the mandatory requirements of WHMIS.

No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries for consequential damages, which may result from the use or reliance on any information contained in this form. If user requires independent information on ingredients in this or other material, we recommend contact with the Canadian Centre of Occupational Health and Safety (CCOHS) in Hamilton, Ontario (905-572-4400 or CSST in Montreal, Quebec (514-873-3990).