

MATERIAL SAFETY DATA SHEET

Lloyds Laboratories Inc.

WELDER'S ANTI-SPATTER (Aerosol) PART # 56020

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Welder's Anti-Spatter. **PRODUCT USE:** Anti-spatter.
MANUFACTURER: Lloyds Laboratories Inc. **SUPPLIER:** Lloyds Laboratories Inc.

ADDRESS: 613 Neal Drive,
Peterborough,
Ontario,
K9J 6X7 **ADDRESS:** 613 Neal Drive,
Peterborough,
Ontario,
K9J 6X7

EMERGENCY #: 1 800 361-6766 **EMERGENCY #:** 1 800 361-6766

SECTION II: INFORMATION ON INGREDIENTS

Ingredients	CAS#	Wt%	OSHA-PEL	ACGIH-TWA	LD ₅₀
Methylene dichloride	75-09-2	60 – 90	125	50 mg/m ³	1600 mg/kg oral/rat
Carbon Dioxide	124-38-9	1 - 5	5000 mg/m ³	5000 mg/m ³	Not available

SECTION III: HAZARDOUS IDENTIFICATION

Route of Entry: Eye, skin contact, ingestion.
Potential Health Effects:
Eye Contact: May cause irritation to eyes.
Skin Contact: May cause irritation upon repeated/ prolonged contact.
Inhalation: In a confined area vapors in high concentration may cause headache, nausea or dizziness. Prolonged overexposure to solvent ingredients in Section 2 may cause adverse effects to the liver, urinary, cardiovascular and nervous systems.
Ingestion: May cause irritation to mouth, esophagus and stomach. May cause gastric tract upset and/or damage.
Chronic Effects:
Carcinogenicity: No ingredients listed IARC or NTP or ACGIC. Non hazardous by WHMIS/OSHA criteria.
Teratogenicity, Mutagenicity, Reproductive Effects: The ingredients in this product were found not to be mutagenic when tested by the Ames Assay, (OECD Guidelines for chemical testing, sec.471).
Skin: Repeated or prolonged exposures to dilutions can cause drying, defatting and dermatitis.

MATERIAL SAFETY DATA SHEET

Lloyds Laboratories Inc.

WELDER'S ANTI-SPATTER (Aerosol) PART # 56020

SECTION IV: FIRST AID MEASURES

Eye Contact:	Immediately flush with water for 15 minutes. Holding eyelids open during flushing. If irritation persists, repeat flushing and obtain medical attention immediately.
Skin Contact:	Flush with water. Remove contaminated clothing and launder before reuse.
Inhalation:	Move victim to fresh air. If conscious, have victim take deep, slow breaths. Seek medical attention if symptoms persist.
Ingestion:	DO NOT INDUCE VOMITING. Rinse mouth with water, then drink one glass of water. Seek medical attention. Do not give anything to victim if unconscious or convulsing.

SECTION V: FIRE FIGHTING MEASURES

Flammability:	Not flammable.
Flash Point deg (C,TCC):	
Means of Extinction:	Use water spray to keep fire exposed containers cool. Dry chemicals, carbon dioxide. Fight fire from protected location or maximum possible distance.
Special Fire Hazards:	Fire fighters should wear self contained breathing apparatus as for surrounding fire. Aerosol product- containers may rocket or explode.
Autoignition temperature:	Not applicable.
Flame projection:	Not applicable.
Sensitivity to static discharge:	Not applicable.
Unusual Fire and Explosion Hazards:	Aerosol product- containers may rocket or explode.
Hazardous decomposition products:	Oxides of carbon, oxides of nitrogen.

SECTION VI: ACCIDENTAL RELEASE MEASURES

Leak and Spill Procedures:	Before attempting clean up, refer to the hazard data provided above. Small spills may be absorbed with non reactive absorbent and placed in suitable, covered, labeled container. For large quantities, dispose of in accordance with local, provincial/ state or federal regulations. For large spills prevent from entering sewers and waterways. For large spills provide diking to prevent spreading.
-----------------------------------	--

SECTION VII: HANDLING AND STORAGE

Storage Requirements:	KEEP OUT OF REACH OF CHILDREN. Store in a dry, cool and well ventilated area. Protect from freezing. Do not puncture or incinerate. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 120° F or 50°C. Do not pierce or burn, even after use.
------------------------------	--

MATERIAL SAFETY DATA SHEET

Lloyds Laboratories Inc.

WELDER'S ANTI-SPATTER (Aerosol) PART # 56020

SECTION VIII: EXPOSURE CONTROL/PERSONAL PROTECTION

Gloves: Use Viton or Nitrile gloves to avoid prolonged or skin contact repeated.
Eye Protection: Wear safety glasses with imperforated side shields.
Respiratory Protection: Not normally required if good ventilation is maintained.
Other Protective Equipment: As required by employer code. Eye bath, safety shower, protective clothing.
Engineering Controls: General ventilation normally required.

SECTION IX: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Aerosol	Odour and Appearance: Brown liquid with solvent odour	Odour Threshold (ppm)	Not available	
Vapour Pressure (mm Hg):	Not available	Vapour Density (Air=1)	Not available	Boiling Point (°C)	-18-40°C
% Volatile (Wt%):	94%	Solubility in water(20°C)	0	Freezing Point (°C)	Not available
pH	Not applicable	Specific Gravity	1.3	Evaporation Rate (nBuAc=1)	Not available
Coeff. Water/Oil Dist.	0				

SECTION X: STABILITY AND REACTIVITY

Conditions for Chemical Instability: Stable under normal conditions. Excessive heat or contamination could cause decomposition.
Incompatible Materials: Reducing agents, strong acids, strong caustics, iron and other metals.
Hazardous Decomposition Products: Oxides of carbon, Oxides of Nitrogen when heated.

SECTION XI: TOXICOLOGICAL INFORMATION

LD 50 values for individual components see section II.
Methylene Chloride is listed by IARC, NTP and OSHA. Laboratory animals exposed to high levels of Methylene Chloride in lifetime studies have developed cancer. There is no evidence to date that Methylene Chloride causes cancer in humans.

SECTION XII: ECOLOGICAL INFORMATION

No data available.

SECTION XIII: DISPOSAL CONSIDERATIONS

MATERIAL SAFETY DATA SHEET

Lloyds Laboratories Inc.

WELDER'S ANTI-SPATTER (Aerosol) PART # 56020

Dispose of in accordance to all local, provincial/state and federal regulations.

SECTION XIV: TRANSPORTATION

T.D.G. Classification: May be classed as Consumer Commodity, ORM-D
UN1950, AEROSOLS, CLASS 2.2, LIMITED QUANTITY, (ERG#126).

D.O.T. Classification: May be classed as Consumer Commodity, ORM-D
UN1950, AEROSOLS, 2.2, LIMITED QUANTITY, (ERG#126).

IMO Classification: May be shipped as Limited Quantity.
UN1950. AEROSOLS, CLASS 2.2, LIMITED QUANTITY, EmS F-D, S-U.

SECTION XV: REGULATORY INFORMATION

Occupational Health and Safety

Regulations:

WHMIS Class:

OSHA & WHMIS:

Class A Compressed Gas/D2A Toxic substance.
MSDS prepared pursuant to the Hazard Communication
Standard (CFR29.1920.1200) and Canadian WHMIS regulations.

SECTION XVI: OTHER INFORMATION

Date: April 15, 2016	Prepared By: Technical Services Group	Telephone: 1 800 361-6766
-----------------------------	---	----------------------------------

Disclaimer:

Information for this material safety data sheet was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond the control of supplier, it is assumed that users of this material; have been fully trained according to the mandatory requirements of WHMIS. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries for consequential damages, which may result from the use or reliance on any information contained in this form. If user requires independent information on ingredients in this or other material, we recommend contact with the Canadian Centre for Occupational Health and Safety (CCOHS) in Hamilton, Ontario (905-572-4400) or CSST in Montreal, Quebec (514-873-3990).